

F126

25 Shore A Elastomer

Physical Properties	
Colour	Pale Amber
Pigmentable	Yes

Mechanical Properties		
		TEST/ISO
Hardness Shore A/D	25A ±5	ASTM D2240-04e1
Tensile Strength (psi)	725	ASTM D412-98a
Tensile Modulus (psi)	240	
Elongation Break (%)	1040	
Tear Strength (pli)	75	ASTM D624-00e1

Electrical Properties		
Dielectric Constant, 1MHz	5.353	ASTM D150-87
Dissipation Factor, 1MHz	0.0465	