

CL20ES Stainless Steel

Very Tough and Functional
Heat-resistant

An exceptionally strong and resistant metal, replicating SS136L.



Benefits

- Highly corrosion and chemical resistance
- High ductility
- Excellent strength and hardness

Applications

- Unique or series production parts
- Plant Engineering
- Automotive Engineering
- Medical Technology
- Jewellery
- Components for moulds



Physical Properties

Colour	Grey
Type	Stainless Steel

Mechanical Properties

	Heat Treatment
Yield Point R_e ¹	470 N/mm ²
Tensile Strength R_m ¹	570 N/mm ²
Elongation A ^{1,2}	>15 %
Young's modulus ³	Approx. $200 \cdot 10^3$ N/mm ²
Thermal Conductivity λ ³	Approx. 15 W/mK
Density (g/cm ³)	7.9

Hardness

Hardness ⁴	20 HRC
-----------------------	--------

¹ Tensile test at 20°C according to DIN EN 50125

² By using a special heat treatment a higher elongation can be achieved

³ Specification according to the material manufacturer's data sheet

⁴ Hardness test according to DIN EN 6508

Material Composition

Component	Indicative Value (Weight in %)
Fe	Balance
Cr	16,5 – 18,5
Ni	10,0 – 13,0
Mo	2,0 – 2,5
Mn	0 – 2,0
Si	0 – 1,0
P	0 – 0,045
C	0 – 0,030
S	0 – 0,030

Call: 028 9070 6940

Email: sales@laserproto.com

Web: www.laserproto.com

[Click here to request a quote](#)

Please be advised that all information provided in this document is representative of typical properties and as advised by the material manufacturer. Performance characteristics of these products may vary according to product application, operating conditions or with end use.

Laser Prototypes Ltd makes no warranties of any type, express or implied, with respect to any of the goods or services supplied. This includes but is not limited to any warranty of fitness for a particular purpose or of properties or of suitability for a specific application. Data are subject to change without notice as part of our continuous development and improvement processes.